



General Purpose Fittings

Deck Mounted, Single Hole Manual Faucet

- Hot and cold water mixing faucet
- 2.2 GPM (8.3 L/min) aerator
- 2-3/8" Vandal proof lever handle
- Polished chrome plated finish
- Quatern compression operating cartridge
- 3/8" Compression flexible stainless steel supply hoses



Spout	Model
6" S Type Swing	51-ABCP
8" L Type Swing	51-L8ABCP
12" L Type Swing	51-L12ABCP

Deck Mounted, 4" Fixed Centers, Manual Faucet

- Hot and cold water mixing faucet
- 2.2 GPM (8.3 L/min) aerator
- Quatern compression operating cartridge
- 1/2" NPSM supply inlets and coupling nut for 3/8" or 1/2" flexible riser
- Polished chrome plated finish
- Gooseneck spouts include rigid/swing option



Spout	Handle	Model
3-1/2" Gooseneck	Wristblade	895-317ABCP
5-1/4" Gooseneck		895-317GN2AE3ABCP
8" Gooseneck w/ Vacuum Breaker		895-317GN8BVBE2-2*
8" Gooseneck w/ Vacuum Breaker		895-317GN8BVBE3MAB
8" Gooseneck	Lever	895-GN8AE3ABCP

*Full-flow 3/4" male hose thread outlet

Deck Mounted, 8" Fixed Centers, Manual Faucet

- Concealed, hot and cold water faucet
- 2.2 GPM (8.3 L/min) aerator
- Quatern compression operating cartridge
- 1/2" NPSM supply inlets and coupling nut for 3/8" or 1/2" flexible riser
- Polished chrome plated finish
- Gooseneck spouts include rigid/swing option



Spout	Handle	Model
9-1/2" L Type Swing	Wristblade	201-A317ABCP
8" Gooseneck w/ Vacuum Breaker		201-AG8BVBE3M317AB
5-1/4" Gooseneck		786-E3ABCP
6" Gooseneck w/ Vacuum Breaker		786-GN2BVBE3-2ABCP
8" Gooseneck		786-GN8AE3ABCP
9-1/2" L Type Swing	Lever	201-AABCP
9-1/2" L Type Swing	Canopy	201-A1000ABCP

Wall Mounted, Manual Faucet

- 8" Body, adjustable arms 7-1/4" - 8-3/4"
- Concealed, hot and cold water faucet
- 2.2 GPM (8.3 L/min) aerator
- Quatern compression operating cartridge
- 1/2" NPSM supply inlets and coupling nut for 3/8" or 1/2" flexible riser
- Polished chrome plated finish
- Gooseneck spouts include rigid/swing option



Spout	Handle	Model
3-1/2" Gooseneck	Wristblade	631-ABCP
5-1/4" Gooseneck		631-GN2AE3ABCP
8" Gooseneck		631-GN8AE3ABCP
6" S Type Swing	Lever	540-LDABCP
8" L Type Swing		540-LDL8ABCP
9-1/2" L Type Swing		540-LDL9ABCP
12" L Type Swing		540-LDL12ABCP
15" L Type Swing		540-LDL15ABCP

Wall Mounted, Service Sink Faucet

- 8" Body, adjustable arms 7-1/4" - 8-3/4"
- Vacuum breaker spout with pail hook and 3/4" male hose thread outlet
- 2-3/8" Vandal proof lever handle
- Polished chrome



Finish	Model
Polished Chrome	540-LD897SCP

Wall Mounted, Service Sink Faucet

- 8" Body, adjustable arms 7-5/8" - 8-3/8"
- Integral stop valves for servicing the product
- Vacuum breaker spout with pail hook and 3/4" male hose thread outlet
- 2-3/8" Vandal proof lever handle



Finish	Check Valves	Model
Polished Chrome	Y	897-CCP
	-	897-CP
Rough Chrome	Y	897-CRCF
	-	897-RCF

Wall Mounted, Sill Fitting

- Single hole
- 2-1/4" tee handle
- 3/4" male hose thread outlet
- 1/2" NPT female thread inlet
- Slip wall flange



Finish	Cartridge	In-Line Vacuum Breaker	Model
Polished Chrome	Self-closing	–	293-244CP
	Quatum® Compression	–	293-369COLDCP
	Slow Compression	–	293-CP
	Slow Compression	•	293-E27CP
Rough Chrome	Self-closing	–	293-244RCF
	Slow Compression	–	293-RCF
	Ceramic	–	293-XKRCF

Wall Mounted, Inside Sill Fitting

- Atmospheric vacuum breaker
- Polished chrome finish
- 3/4" male hose thread outlet
- Integral wall flange



Inlet	Cartridge	Handle	Model
1/2" NPT Female Thread	Slow Compression	Tee	952-12CP
	Ceramic	Tee	952-12XKCP
3/4" NPT Female Thread	Slow Compression	Lever	952-269CP
	Slow Compression	Cross	952-633PLCP
	Slow Compression	Tee	952-CP
	Ceramic	Tee	952-XKCP

Straight Stops

- 1/2" NPT female inlet
- 1/2" NPT female outlet
- Polished chrome finish



Handle	Cartridge	Integral Check	Model
Cross	Slow Compression	–	45-ABCP
	Ceramic	–	45-XKABCP
Tee	Slow Compression	–	45-LKABCP
	Slow Compression	•	45-LKCABCP

Angle Stops

- 1/2" NPT female inlet
- 1/2" NPT female outlet
- Slow compression cartridge
- Polished chrome finish



Handle	Integral Check	Model
Cross	–	442-ABCP
Tee	–	442-LKABCP
	•	442-LKCABCP

Compression Angle Stops

- Loose key handle
- Choice of 1/2" or 3/8" inlets and outlets
- Polished chrome finish



Outlet	1/2" NPT Female Thread Inlet	3/8" NPT Female Thread Inlet
1/2" O.D. Female Compression	STC-22-00-AB	STC-12-00-AB
3/8" O.D. Female Compression	STC-21-00-AB	STC-11-00-AB

Compression Angle Stops with Riser

- Loose key handle
- Choice of 1/2" or 3/8" inlets and outlets
- Polished chrome finish



12" Riser

Outlet	1/2" NPT Female Thread Inlet	3/8" NPT Female Thread Inlet
1/2" O.D. Female Compression	STC-22-11-AB	STC-12-11-AB
3/8" O.D. Female Compression	STC-21-11-AB	STC-11-11-AB

20" Riser

Outlet	1/2" NPT Female Thread Inlet	3/8" NPT Female Thread Inlet
1/2" O.D. Female Compression	STC-22-12-AB	STC-12-12-AB
3/8" O.D. Female Compression	STC-21-12-AB	STC-11-12-AB



We are a member of the U.S. Green Building Council and support the Leadership in Energy and Environmental Design (LEED) Green Building Rating System™, to measure the efficiency and sustainability of buildings in the U.S. and Canada. If you are trying to achieve LEED Certification for your building, our low-flow outlets, metering cartridges, and sensor-operated faucets can contribute points in these areas: Water Efficiency Credit 2: Innovative Wastewater Technologies and Water Efficiency Credit 3: Water Use Reduction



We are proud to be a partner with WaterSense®, sponsored by the EPA and designed to protect the future of our nation's water supply by promoting efficiency and enhancing the market for water efficient products, programs, and practices.



We are a charter sponsor of the Alliance for Water Efficiency, a non-profit organization that is dedicated to the efficient and sustainable use of water. It brings together a diverse range of stakeholders to advocate water efficiency and conservation.



a Geberit company

Chicago Faucets, a member of the Geberit Group, is the leading brand of commercial faucets and fittings in the United States, offering a complete range of products for schools, laboratories, hospitals, office buildings, food service, airports, and sports facilities. Whatever your requirements may be, Chicago Faucets offers standard and made-to-order products that are designed to meet any commercial application.

The Chicago Faucet Company
2100 South Clearwater Drive
Des Plaines, IL 60018
Phone: 847/803-5000
Fax: 847/803-5454
Technical: 800/832-8783
www.chicagofaucets.com

